

Communicating Data Quality in On-Demand Curation

Poonam Kumari
University at Buffalo
poonamku@buffalo.edu

Said Achmiz
achmiz@gmail.com

Oliver Kennedy
University at Buffalo
okennedy@buffalo.edu

ABSTRACT

On-demand curation (ODC) tools like Paygo, KATARA, and Mimir allow users to defer expensive curation effort until it is necessary. In contrast to classical databases that do not even permit potentially erroneous data to be queried, ODC systems instead answer with guesses or approximations. The quality and scope of these guesses may vary and it is critical that an ODC system be able to communicate this information to an end-user. The central contribution of this paper is a preliminary user study evaluating the cognitive burden and expressiveness of four representations of “attribute-level” uncertainty. The study shows (1) insignificant differences in time taken for users to interpret the four types of uncertainty tested, and (2) that different presentations of uncertainty change the way people interpret and react to data. Ultimately, we show that a set of UI design guidelines and best practices for conveying uncertainty will be necessary for ODC tools to be effective. This paper represents the first step towards establishing such guidelines.

1. INTRODUCTION

Historically, the quality of a dataset would be ensured before it was analyzed, often through complex, carefully developed curation processes designed to completely shield analysts from any and all uncertainty. This curation establishes trust in the data, which in turn helps to establish trust in the results of analyses. However, as typical data sizes and rates grow, this type of brute-force *upfront* curation process is becoming increasingly impractical. As a result, analysts have started turning to new, “on-demand” or “pay-as-you-go” approaches [1, 3, 9, 12, 15, 17, 2] to data curation, such as PayGo, Mimir, or Katara. On-demand curation (ODC) systems minimize the amount of upfront time and effort required to load, curate, and integrate data. Data stored in an ODC is, initially at least, of low quality and queries are liable to produce incomplete or incorrect results. To mitigate the unreliability of these results, ODC systems typically provide a form of provenance or lineage, tracking the effects

of uncertainty through queries and tagging results with relevant quality metrics (e.g., confidence bounds, standard deviations, or probabilities). If the quality is insufficient, the ODC helps her to prioritize her curation efforts.

Most ODC efforts are specialized forms of *probabilistic databases* [16] that allow for queries over uncertain, probabilistically defined data. Classical probabilistic databases produce outputs either in the form of “certain” answers (that provide only limited practical utility), or in the form of probability distributions. Representing a query output as a distribution alleviates the monotonous (and error-prone) task of handling probabilities, error conditions, and outliers in the middle of a query. Nevertheless, error-handling logic is still necessary, even if it is never expressly declared; A human interpreting the results must decide whether and how to act on the results given. Just having a probability distribution for query results is insufficient: *the uncertainty must be communicated to the users who will ultimately act on the results*. Complicating matters further is the fact that many database users lack the extensive background in statistics necessary to interpret complex probability distributions.

In this paper, we present our initial efforts to explore how ODCs can communicate uncertainty about query results to their users. Fundamentally, we are interested in how the database should represent potential errors in tabular data being presented to the user. A representation that communicates too much information can create an unnecessary cognitive burden for users. Conversely, if a representation communicates too little, the user may not realize that data values are compromised and act on invalid information.

To explore this tradeoff between imposed cognitive burden and efficacy, we conducted a preliminary user study with 14 participants drawn from the Department of Computer Science and Engineering at the University at Buffalo. We explored four different representations of one specific form of data uncertainty called attribute-level uncertainty. Our results show that the choice of how to communicate low-quality data has a substantial impact on how users react to that information. Responses to different representations ranged from a desire for more information, an efficient use of presented contextual details, and even included mild fear responses to the data being presented. Thus, we argue that the design of interface elements for representing uncertainty is a critical part of probabilistic databases, ODCs, and data quality research in general. Concretely, this paper makes the following contributions: (1) We outline a user study that explores four different presentations of attribute-level uncertainty. (2) We quantitatively analyze the tradeoff between

Product	Rating Source			Note
	Buybeast	Amazeo	Targe	
Samsung	4.5	3.0		
Magnetbox	2.5		3.0	
Mapple		3.5	5.0	Not a TV?

Figure 1: Examples of uncertainty.

cognitive burden and decision-making based on results from our study. (3) We qualitatively analyze the different representations’ effects on study participants’ thought processes.

2. BACKGROUND

A probabilistic database [16] $\langle \mathbb{D}, P \rangle$ is typically defined as a set of deterministic database instances $D \in \mathbb{D}$ that share a common schema, and a probability measure $P : \mathbb{D} \mapsto [0, 1]$ over this set. Under *possible worlds semantics*, a deterministic query Q may be evaluated on a probabilistic database by (conceptually) evaluating it simultaneously on all instances in \mathbb{D} , producing a set of relation instances and a probability measure over the result set.

Numerous semi-automated tools for curating low-quality data [1, 3, 17, 13] emit probabilistic database relations. These relations model the ambiguity that arises during automated data curation, most frequently appearing in one of three forms: (1) Row-level uncertainty, (2) Attribute-level uncertainty, and (3) Open-world uncertainty. Row-level uncertainty arises when a specific tuple’s membership in a relation is unknown. Attribute-level uncertainty arises when specific values in the database are not known precisely. Finally, open-world uncertainty arises when a relation can not be bounded to a finite set of possible tuples.

EXAMPLE 1. *The example spreadsheet given in Figure 1 shows reviews for 3 fictional television products from 3 fictional sources. Each of the three types of uncertainty are illustrated: It is unclear whether the Mapple is actually a television (row-level uncertainty). There are ratings missing for several fields (attribute-level uncertainty). Finally, there is the possibility that the spreadsheet is incomplete and there are television products missing (open-world uncertainty).*

Efforts to presentat of uncertain data often focus on visual encodings like graphs [14, 11] or maps [5]. For tabular layouts used in database query results, a common approach is to present only so-called “certain” answers [4] — the subset of the output relation with no row- or attribute-level uncertainty. Although computing certain answers presents a computationally interesting challenge, completely excluding low-quality results significantly decreases the utility of the entire result set. Another common approach is to compute statistical metrics like expectations or variances for attribute-level uncertainty, and per-row probabilities (confidences) for row-level uncertainty. Presenting this information to users in a way that can be clearly distinguished from deterministic data is challenging. Thus, systems like MayBMS [7] and MCDB [8] require users to explicitly request specific statistical metrics as part of queries, and in doing so place an unnecessary burden on users, who must now track which attributes are uncertain. In multiple attempts to deploy probabilistic databases in practice [11, 17, 13], such SQL extensions have been non-starters.

Online Aggregation [6] uses sampling to approximate and incrementally refine results for aggregate queries. The user

User Study

Introduction:

The table below gives ratings from different website for three products.

Name of Product	Rating 1	Rating 2	Rating 3
Product A	3	4.5	3.5
Product B	4	1.5	3.5
Product C	3	3.5	2.5

Task:

Please go through the details about the products and arrange the products in the order of your preference to buy them.

Figure 2: User Interface.

interface explicitly gives an expectation, confidence bounds, and % completion, clearly communicating that the result is an approximation, and the level of quality a user can expect from it. Wrangler [10] helps users to visualize errors in data: A “data quality” bar communicates the fraction of data in each column that conforms to the column’s type and the number of blank records. Finally, the Mimir system [17, 13] uses automatic data curation operators that tag curated records with markers that persist through queries. These markers manifest as highlights that communicate the presence of attribute and row-level uncertainty. Users click on markers to learn more about why the value/row is uncertain.

3. EXPERIMENTAL DESIGN

The experiment consisted of a ranking task where participants were presented with a web form that had a 3x3 matrix showing three ratings each for three products. Participants were told that the ratings came from three different sources and were normalized to a scale of 1 to 5, with 5 being best and 1 being worst.

Each participant was presented with the same set of information and asked to evaluate the products for purchase by ranking the products in the order of their preference. A total of 14 participants, predominantly undergraduate and graduate students in the Department of Computer Science and Engineering at the University at Buffalo, participated in the experiment.

Ratings for each product were biased to ensure a random, but still predictable ordering from participants. For simplicity, we will use the labels **A**, **B**, and **C** to describe a random ordering of the products. We generated ratings using rejection sampling based on a uniform random distribution, subject to the following constraints: **A** had to have one extremely favorable rating compared to **B** (at least 1 point higher), one slightly more favorable rating (0, 0.5, or 1 point higher), and one slightly less favorable rating (0, 0.5, or 1 point lower). The same constraints were applied to **B** and **C**, respectively. These constraints were designed to elicit a ranking of **A**, **B**, **C** from participants, regardless of the order in which the three products were presented.

Participants were asked to complete multiple rounds of survey, with each round consisting of four trials. A single trial consisted of a single ranking task. The first **Certain** trial in each round served as a control: The matrix shown was generated exactly as described above. The remaining trials in each round each evaluated a single representation of uncertainty. In these trials, base data generation followed an identical process, but between 2 and 4 randomly chosen values were labeled as uncertain. To emphasize, the only

Product	Rating Source		
	Buybeast	Amazeo	Target
Samsung	4.5	3.0	3.5±1
Magnetbox	2.5	2.5	3.0
Maple	5.0*	3.5	5.0

Figure 3: Example uncertainty representations.




Figure 4: Agreement with BestOf3 order

change was the addition of a label. Four labeling mechanisms were used: (1) **Asterisk**: Some ratings were marked with an asterisk. (2) **Colored text**: The text of some ratings was colored red. (3) **Confidence interval**: Some ratings were annotated with a plus/minus bound. (4) **Color coding**: The cells containing some ratings were given a red background. participants were informed that these fields were uncertain. For confidence intervals, participants were informed that the value for those fields could range over the indicated interval. For the other representations, participants were informed that highlighted fields were uncertain. Examples of these representations are shown in Figure 3.

Interactions with the web-form — such as product selection, re-ordering the product list, and submitting the participant’s final order — were logged along with timestamps. In addition to interactions with the web form, the experiment also used a think-aloud protocol: Participants were asked to verbalize their thought process while performing the task. Audio logs were transcribed and the anonymized transcriptions were tagged and coded for analysis.

4. EFFICIENCY AND EFFECTIVENESS

The two primary questions that we sought to answer for each of the four representations of uncertainty were (1) Is the representation *effective* at communicating uncertainty, and (2) What is the *cognitive burden* of interpreting the representation? Concretely, we identified at least three distinct behavioral responses to uncertainty in the data presented, suggesting differences in the efficacy of each representation. We also noted that all four representations of uncertainty required a similar amount of decision time, suggesting that all four representations impose similar cognitive burdens in the population under study.

Effectiveness. Recall that the data presented was carefully selected to elicit a specific ordering, regardless of whether participants made their choice based on the best two ratings or based on the average of all three ratings. We term this ranking order **BestOf3**. Our analysis is based on the expectation that users who disregard uncertain data are more likely to select orderings closer to random relative to **BestOf3**. In short, if a representation of uncertainty is effective, we would expect to see a more random product

ranking. In the confidence interval representation — where bounds were not wide enough to prompt a significant level of ambiguity — we would expect to see ranking close to **BestOf3**. Figure 4 summarizes our results, showing the probability of agreement between the participant-selected ordering and the **BestOf3** ordering. Standard deviations are computed under the assumption that agreement with **BestOf3** follows a Beta-Bernoulli distribution. A 16.7% agreement would indicate a purely random ordering. The ‘certain’, deterministic baseline shows a consistent, roughly 85% agreement with **BestOf3**, and as predicted, so does the confidence interval presentation (89%)¹. Both colored text and color coding significantly altered participant behavior (45% and 56% agreement with **BestOf3**). Asterisks were not as effective at altering participant behavior (73% agreement). This is consistent with colored text and color coding signaling significant errors, while asterisks signal caveats or minor considerations on the values presented.

Efficiency. We measure time taken for each form of uncertainty as a proxy for cognitive burden. Figure 5 illustrates time taken by users to complete each individual ranking task. We distinguish between the first round, where participants initially encounter the task and representation, from subsequent rounds where they are already familiar with the task. As seen in Figure 5a, participants spent significantly more time familiarizing themselves with the overall ranking task than with any of the specific representations of uncertainty. Furthermore, time taken per representation was relatively consistent across all forms of uncertainty; The slowest two trials in Figure 5b were both deterministic.

5. DISCUSSION


Participants were encouraged to verbalize their thought process. Based on this feedback, we were also able to make several qualitative observations. In general participants considered consistency in the rating sources and products as a secondary source of feedback about data quality. For example, if Source 1 had uncertain ratings for two products, then some participants were more likely to discard it as uninformative and base their rating solely on the other two sources. If the range of ratings for a product was wide (4.5, 2, 1) then the product was considered unreliable by a few participants. Most of the participants explicitly stated that they were choosing based on the best two of, or the average of the three ratings.

Approximately half of the participants conveyed a strong negative emotional reaction to the color coding representation — a well known response to the color red. Reactions included participants expressing a feeling of negative surprise on first seeing the value. Several participants suggested feelings of comfort associated with the additional information that the confidence interval supplied, although we note the same may not be true of broader study populations.


In addition to strong negative emotional responses, most participants indicated that they were ignoring values with a red background, except as a tiebreaker. This was true even for several participants who did not react in the same way toward the red text or asterisk representations.

Most participants exhibited risk-averse behavior. Given two similar choices, many participants stated a preference

¹Note that results from both certain and confidence interval trials are well within one standard deviation of each other.



(a) First Round



(b) Second to Fifth Rounds

Figure 5: Time taken per form of uncertainty. Graphs show cumulative distributions per-trial.

for products with more consistency in their ratings, as well as for products that did not include uncertain ratings. A frequent exception to this pattern was cases where uncertain values appeared at the low end of the rating spectrum — several participants indicated that the true value of a low, uncertain rating could only be greater than the value shown.

In several instances, participants requested additional information, most frequently with the asterisk representation. It is possible that this is an artifact of the experimental protocol; The asterisk was the first form of uncertainty that many participants encountered. However, based on our efficacy analysis, it may also be the case that participants assumed that this representation signaled less significant errors. In future trials, we will use a random trial order and evaluate whether some representations are better at prompting users to seek out additional information.

For confidence bounds, users appeared to react to the presented uncertainty in one of two ways. One group appeared to first evaluate whether the uncertainty would make a significant impact on their deterministic ranking strategy (best 2 of 3 or average). The other group adopted a pessimistic view and plugged the lower bound into their deterministic strategy as a worst-case. For the experimental protocol used, both strategies typically resulted in the same outcome.

6. CONCLUSIONS AND FUTURE WORK

Data quality is becoming an increasingly painful challenge to scale. As a result of issues ranging from low-quality source data [10, 17, 13] to time-constrained execution [6, 11], the future is clear: Before long, imprecise database query results will be common. It is thus imperative that we learn how to communicate uncertainty in results effectively and efficiently. We presented our initial exploration of this space: a user study that examined four approaches to presenting attribute-level uncertainty. We plan to continue these efforts by exploring (1) other types of uncertainty in relational data (row-level and open-world), (2) qualitative feedback such as explanations [17], (3) giving the user mechanisms to dynamically control the level and complexity of uncertainty representation being shown, and (4) incorporating our findings into the Mimir on-demand curation system [17, 13].

Acknowledgements *This work was supported in part by a gift from Oracle and NPS Grant N00244-16-1-0022. Opinions, findings and conclusions expressed in this material are those of the authors and do not necessarily reflect the views of Oracle or the Naval Postgraduate School.*

7. REFERENCES

- [1] G. Beskales, I. F. Ilyas, L. Golab, and A. Galiullin. Sampling from repairs of conditional functional dependency violations. *VLDBJ*, 23(1):103–128, 2014.
- [2] X. Chu, J. Morcos, I. F. Ilyas, M. Ouzzani, P. Papotti, N. Tang, and Y. Ye. Katara: A data cleaning system powered by knowledge bases and crowdsourcing. In *Proceedings of the 2015 ACM SIGMOD International Conference on Management of Data*, pages 1247–1261. ACM, 2015.
- [3] M. Dallachiesa, A. Ebaid, A. Eldawy, A. Elmagarmid, I. F. Ilyas, M. Ouzzani, and N. Tang. NADEEF: A commodity data cleaning system. In *SIGMOD*, 2013.
- [4] R. Fagin, P. G. Kolaitis, and L. Popa. Data exchange: Getting to the core. *TODS*, 30(1):174–210, Mar. 2005.
- [5] H. Griethe and H. Schumann. The visualization of uncertain data: Methods and problems. In *SimVis*, pages 143–156. SCS Publishing House e.V., 2006.
- [6] J. M. Hellerstein, P. J. Haas, and H. J. Wang. Online aggregation. *SIGMOD Rec.*, 26(2):171–182, June 1997.
- [7] J. Huang, L. Antova, C. Koch, and D. Olteanu. MayBMS: A probabilistic database management system. In *SIGMOD*, 2009.
- [8] R. Jampani, F. Xu, M. Wu, L. L. Perez, C. Jermaine, and P. J. Haas. MCDB: a monte carlo approach to managing uncertain data. In *SIGMOD*, 2008.
- [9] S. R. Jeffery, M. J. Franklin, and A. Y. Halevy. Pay-as-you-go user feedback for dataspace systems. In *SIGMOD*.
- [10] S. Kandel, A. Paepcke, J. Hellerstein, and J. Heer. Wrangler: Interactive visual specification of data transformation scripts. In *CHI*, 2011.
- [11] O. A. Kennedy and S. Nath. Jigsaw: Efficient optimization over uncertain enterprise data. In *SIGMOD*, 2011.
- [12] Z. Khayyat, I. F. Ilyas, A. Jindal, S. Madden, M. Ouzzani, P. Papotti, J.-A. Quiané-Ruiz, N. Tang, and S. Yin. BigDancing: A system for big data cleansing. In *SIGMOD*, 2015.
- [13] A. Nandi, Y. Yang, O. Kennedy, B. Glavic, R. Fehling, Z. H. Liu, and D. Gawlick. Mimir: Bringing CTables into practice. *CoRR*, abs/1601.00073, 2016.
- [14] C. Olston and J. D. Mackinlay. Visualizing data with bounded uncertainty. In P. C. Wong and K. Andrews, editors, *InfoVis*, 2002.
- [15] S. Roy, L. Orr, and D. Suciu. Explaining query answers with explanation-ready databases. *pVLDB.*, 9(4):348–359, Dec. 2015.
- [16] D. Suciu, D. Olteanu, C. Ré, and C. Koch. Probabilistic databases. *Synthesis Lectures on Data Management*, 3(2):1–180, 2011.
- [17] Y. Yang, N. Meneghetti, R. Fehling, Z. H. Liu, and O. Kennedy. Lenses: An on-demand approach to ETL. *pVLDB*, 8(12):1578–1589, Aug. 2015.